

Control Measures for Household and Structural Pests (continued)

Pests	Pesticide	Actual Chemical Wanted		Method of Application	Remarks
		Spray	Dust		
Weevils (Black Vine Weevils)	acephate (Orthene)	---	---	Outdoors: Spray the outside foundation, steps, porches, doorways, basement windows and other potential points of entry. Treat grass out away from the foundation for a distance of 10 feet. Treatment of soil around house and shrubs may be needed. Apply entomophagous nematodes (Biosafe, Exhibit, Vector TL) to soil around yew shrubs (<i>Taxus</i> sp.) to control the larvae.	Non-chemical control: These weevils normally invade the home by accident and do not live indoors. They either crawl or hitchhike into the home. Use tight-fitting screens and snug-fitting doors and windows. Repair cracks and other possible entry sites. Individual weevils can be picked up with a vacuum cleaner or broom and dustpan and discarded.
	carbaryl (Sevin)	---	5%		
	diazinon	0.5%	---		
	^T <i>Steinernema carpocapsae</i> (Biosafe, Exhibit, Vector TL)	20%	---		
	^T fluvalinate (Mavrik, Yardex)	0.009 to 0.019%	---		
(length, 1/2')					

^FSome formulations are Restricted Use, see label for details.
^TOutdoor Use Only
^{*}Restricted Use

Follow label directions